

久留米シティプラザ【グランドホール】 DMX対応表 ユニバース1

NO.	DMX	回路名称 - 回路番号	NO.	DMX	回路名称 - 回路番号	NO.	DMX	回路名称 - 回路番号	NO.	DMX	回路名称 - 回路番号
No. 1	1	1Br - 1	No. 17	65	2Br - 29	No. 33	129	4S - 21	No. 48	193	LH上 - 1
	2	- 2		66	- 30		130	- 22		194	- 2
	3	- 3		67	- 31		131	- 23		195	- 3
	4	- 4		68	- 32		132	- 24		196	- 4
No. 2	5	- 5	No. 18	69	- 33		133	-	No. 49	197	- 5
	6	- 6		70	- 34	134	-	198		- 6	
	7	- 7		71	- 35	135	-	199		- 7	
	8	- 8		72	- 36	136	-	200		- 8	
No. 3	9	- 9	No. 19	73	3Br - 1	No. 34	137	PTW下 - 1	No. 50	201	- 9
	10	- 10		74	- 2		138	- 2		202	- 10
	11	- 11		75	- 3		139	- 3		203	- 11
	12	- 12		76	- 4		140	- 4		204	- 12
No. 4	13	- 13	No. 20	77	- 5	No. 35	141	PTW上 - 1	No. 51	205	- 13
	14	- 14		78	- 6		142	- 2		206	- 14
	15	- 15		79	- 7		143	- 3		207	- 15
	16	- 16		80	- 8		144	- 4		208	- 16
No. 5	17	- 17	No. 21	81	- 9	No. 36	145	UH - 1	No. 52	209	1Bor - 1
	18	- 18		82	- 10		146	- 2		210	- 2
	19	- 19		83	- 11		147	- 3		211	- 3
	20	- 20		84	- 12		148	- 4		212	- 4
No. 6	21	- 21	No. 22	85	- 13	No. 37	149	- 5	No. 53	213	- 5
	22	- 22		86	- 14		150	- 6		214	- 6
	23	- 23		87	- 15		151	- 7		215	- 7
	24	- 24		88	- 16		152	- 8		216	- 8
No. 7	25	- 25	No. 23	89	- 17	No. 38	153	- 9	No. 54	217	2Bor - 1
	26	- 26		90	- 18		154	- 10		218	- 2
	27	- 27		91	- 19		155	- 11		219	- 3
	28	- 28		92	- 20		156	- 12		220	- 4
No. 8	29	- 29	No. 24	93	- 21	No. 39	157	- 13	No. 55	221	- 5
	30	- 30		94	- 22		158	- 14		222	- 6
	31	- 31		95	- 23		159	- 15		223	- 7
	32	- 32		96	- 24		160	- 16		224	- 8
No. 9	33	- 33	No. 25	97	- 25	No. 40	161	- 17	No. 56	225	3Bor - 1
	34	- 34		98	- 26		162	- 18		226	- 2
	35	- 35		99	- 27		163	- 19		227	- 3
	36	- 36		100	- 28		164	- 20		228	- 4
No. 10	37	2Br - 1	No. 26	101	- 29	No. 41	165	- 21	No. 57	229	- 5
	38	- 2		102	- 30		166	- 22		230	- 6
	39	- 3		103	- 31		167	- 23		231	- 7
	40	- 4		104	- 32		168	- 24		232	- 8
No. 11	41	- 5	No. 27	105	- 33	No. 42	169	- 25	No. 58	233	1FR下 - 1
	42	- 6		106	- 34		170	- 26		234	- 2
	43	- 7		107	- 35		171	- 27		235	- 3
	44	- 8		108	- 36		172	- 28		236	- 4
No. 12	45	- 9	No. 28	109	4S - 1	No. 43	173	- 29	No. 59	237	- 5
	46	- 10		110	- 2		174	- 30		238	- 6
	47	- 11		111	- 3		175	- 31		239	- 7
	48	- 12		112	- 4		176	- 32		240	- 8
No. 13	49	- 13	No. 29	113	- 5	No. 44	177	- 33	No. 60	241	2FR下 - 1
	50	- 14		114	- 6		178	- 34		242	- 2
	51	- 15		115	- 7		179	- 35		243	- 3
	52	- 16		116	- 8		180	- 36		244	- 4
No. 14	53	- 17	No. 30	117	- 9	No. 45	181	LHT - 1	No. 61	245	- 5
	54	- 18		118	- 10		182	- 2		246	- 6
	55	- 19		119	- 11		183	- 3		247	- 7
	56	- 20		120	- 12		184	- 4		248	- 8
No. 15	57	- 21	No. 31	121	- 13	No. 46	185	- 5	No. 62	249	3FR下 - 1
	58	- 22		122	- 14		186	- 6		250	- 2
	59	- 23		123	- 15		187	- 7		251	- 3
	60	- 24		124	- 16		188	- 8		252	- 4
No. 16	61	- 25	No. 32	125	- 17	No. 47	189	- 9	No. 63	253	- 5
	62	- 26		126	- 18		190	- 10		254	- 6
	63	- 27		127	- 19		191	- 11		255	- 7
	64	- 28		128	- 20		192	- 12		256	- 8

● ボーダーライト作業灯

● 客席作業灯

久留米シティプラザ【グランドホール】 DMX対応表 ユニバース1

NO.	DMX	回路名称【IDナンバー】	NO.	DMX	回路名称【IDナンバー】	NO.	DMX	回路名称【IDナンバー】	NO.	DMX	回路名称【IDナンバー】
No. 64	257	1FR上 - 1	No. 80	321	2CL上 - 13	No. 104直	385	PS 100V - 直1	客電	449	2F入口UP
	258	- 2		322	- 14		386	- 直2		450	2.5F入口UP
	259	- 3		323	- 15		387	- 直3		451	3F入口UP
	260	- 4		324	- 16		388	- 直4		452	4F入口UP
No. 65	261	- 5	No. 81	325	BAL - 1	No. 105直	389	4S-100V - 直1	453	2F壁UP 前-1 ●	
	262	- 6		326	- 2		390	- 直2	454	前-2	
	263	- 7		327	- 3		391	- 直3	455	前-3	
	264	- 8		328	- 4		392	- 直4	456	中-1 ●	
No. 66	265	2FR上 - 1	No. 82	329	- 5	No. 201直	393	1Br 200V - 直1	457	中-2	
	266	- 2		330	- 6		394	- 直2	458	中-3	
	267	- 3		331	- 7		395	- 直3	459	後-1 ●	
	268	- 4		332	- 8		396	2Br 200V - 直1	460	後-2	
No. 67	269	- 5	No. 83	333	FCT - 1	No. 202直	397	- 直2	461	後-3	
	270	- 6		334	- 2		398	- 直3	462	2.5F壁UP 前-1 ●	
	271	- 7		335	- 3		399	3Br 200V - 直1	463	前-2	
	272	- 8		336	- 4		400	- 直2	464	前-3	
No. 68	273	3FR上 - 1	No. 84	337	- 5	No. 203直	401	- 直3	465	中-1 ●	
	274	- 2		338	- 6		402	PS 200V - 直1	466	中-2	
	275	- 3		339	- 7		403	- 直2	467	中-3	
	276	- 4		340	- 8		404	- 直3	468	後-1 ●	
No. 69	277	- 5	No. 85	341	- 9	No. 204直	405	-	469	後-2	
	278	- 6		342	- 10		406	-	470	後-3	
	279	- 7		343	- 11		407	-	471	3F壁UP 前-1 ●	
	280	- 8		344	- 12		408	1CL追加 - 1	472	前-2	
No. 70	281	1CLPTFT下 - 1	No. 86	345	- 13	No. 93	409	- 2	473	前-3	
	282	- 2		346	- 14		410	- 3	474	中-1 ●	
	283	- 3		347	- 15		411	- 4	475	中-2	
	284	- 4		348	- 16		412	- 5	476	中-3	
No. 71	285	- 5	No. 87	349	OCT - 17	No. 94	413	- 6	477	後-1 ●	
	286	- 6		350	- 18		414	- 7	478	後-2	
	287	- 7		351	- 19		415	- 8	479	後-3	
	288	- 8		352	- 20		416	- 9	480	4F壁UP 前-1 ●	
No. 72	289	- 9	No. 88	353	FC上 - 1	No. 95	417	- 10	481	4F壁UP 前-2	
	290	- 10		354	- 2		418	- 11	482	前-3	
	291	- 11		355	- 3		419	- 12	483	中-1 ●	
	292	- 12		356	- 4		420	PRO SUS - 1	484	中-2	
No. 73	293	- 13	No. 89	357	- 5	No. 96 No. 97	421	- 2	485	中-3	
	294	- 14		358	- 6		422	- 3	486	後-1 ●	
	295	- 15		359	- 7		423	- 4	487	後-2	
	296	- 16		360	- 8		424	-	488	後-3	
No. 74	297	- 17	No. 90	361	- 9	客電	425	-	489	5F壁UP 前-1 ●	
	298	- 18		362	- 10		426	-	490	前-2	
	299	- 19		363	- 11		427	-	491	前-3	
	300	- 20		364	- 12		428	-	492	中-1 ●	
No. 75	301	- 21	No. 91	365	- 13	客電	429	-	493	中-2 ●	
	302	- 22		366	- 14		430	-	494	中-3	
	303	- 23		367	- 15		431	-	495	後-1 ●	
	304	- 24		368	- 16		432	-	496	後-2	
No. 76	305	- 25	No. 92	369	OC上 - 17	客電	433	-	497	後-3	
	306	- 26		370	- 18		434	-	498	客席高天 1	
	307	- 27		371	- 19		435	-	499	2	
	308	PTFT上 - 28		372	- 20		436	-	500	3	
No. 77	309	2CL下 - 1	No. 101直	373	1Br-100V - 直1	客電	437	-	501	4	
	310	- 2		374	- 直2		438	-	502	5	
	311	- 3		375	- 直3		439	-	503	6	
	312	- 4		376	- 直4		440	1Br内作業灯	504	客席屋根 2F	
No. 78	313	- 5	No. 102直	377	2Br-100V - 直1	客電	441	2Br内作業灯	505	3F	
	314	- 6		378	- 直2		442	3Br内作業灯	506	4F	
	315	- 7		379	- 直3		443	-	507	5F	
	316	- 8		380	- 直4		444	ハルコニース 2F	508	客席2F奥 6・7	
No. 79	317	2CL上 - 9	No. 103直	381	3Br-100V - 直1	客電	445	2.5F	509	前室	
	318	- 10		382	- 直2		446	3F	510	1F前室外	
	319	- 11		383	- 直3		447	4F	511	1F前室音響前	
	320	- 12		384	- 直4		448	5F	512	前室通路	

久留米シティプラザ【グランドホール】 DMX対応表 ユニバース2

1/2
R3.3.1 更新

NO.	DMX	回路名称【IDナンバー】	NO.	DMX	回路名称【IDナンバー】	NO.	DMX	回路名称【IDナンバー】	NO.	DMX	回路名称【IDナンバー】
	1	天反 - 1		65	天反 - 65		129	-		193	-
	2	- 2		66	- 66		130	-		194	-
	3	- 3		67	- 67		131	-		195	-
	4	- 4		68	- 68		132	-		196	-
	5	- 5		69	- 69		133	-		197	-
	6	- 6		70	- 70		134	-		198	-
	7	- 7		71	- 71		135	-		199	-
	8	- 8		72	- 72		136	-		200	-
	9	- 9		73	- 73		137	-		201	-
	10	- 10		74	- 74		138	-		202	-
	11	- 11		75	- 75		139	-		203	-
	12	- 12		76	- 76		140	-		204	-
	13	- 13		77	- 77		141	-		205	-
	14	- 14		78	- 78		142	-		206	-
	15	- 15		79	- 79		143	-		207	-
	16	- 16		80	- 80		144	-		208	-
	17	- 17		81	- 81		145	-		209	-
	18	- 18		82	- 82		146	-		210	-
	19	- 19		83	- 83		147	-		211	-
	20	- 20		84	- 84		148	-		212	-
	21	- 21		85	- 85		149	-		213	-
	22	- 22		86	- 86		150	-		214	-
	23	- 23		87	- 87		151	-		215	-
	24	- 24		88	- 88		152	-		216	-
	25	- 25		89	- 89		153	-		217	-
	26	- 26		90	- 90		154	-		218	-
	27	- 27		91	- 91		155	-		219	-
	28	- 28		92	- 92		156	-		220	-
	29	- 29		93	- 93		157	-		221	-
	30	- 30		94	- 94		158	-		222	-
	31	- 31		95	- 95		159	-		223	-
	32	- 32		96	- 96		160	-		224	-
	33	- 33		97	- 97		161	-		225	-
	34	- 34		98	- 98		162	-		226	-
	35	- 35		99	- 99		163	-		227	-
	36	- 36		100	- 100		164	-		228	-
	37	- 37		101	- 101		165	-		229	-
	38	- 38		102	- 102		166	-		230	-
	39	- 39		103	- 103		167	-		231	-
	40	- 40		104	- 104		168	-		232	-
	41	- 41		105	- 105		169	-		233	-
	42	- 42		106	- 106		170	-		234	-
	43	- 43		107	-		171	-		235	-
	44	- 44		108	-		172	-		236	-
	45	- 45		109	-		173	-		237	-
	46	- 46		110	-		174	-		238	-
	47	- 47		111	-		175	-		239	-
	48	- 48		112	-		176	-		240	-
	49	- 49		113	-		177	-		241	-
	50	- 50		114	-		178	-		242	-
	51	- 51		115	-		179	-		243	-
	52	- 52		116	-		180	-		244	-
	53	- 53		117	-		181	-		245	-
	54	- 54		118	-		182	-		246	-
	55	- 55		119	-		183	-		247	-
	56	- 56		120	-		184	-		248	-
	57	- 57		121	-		185	-		249	-
	58	- 58		122	-		186	-		250	-
	59	- 59		123	-		187	-		251	-
	60	- 60		124	-		188	-		252	-
	61	- 61		125	-		189	-		253	-
	62	- 62		126	-		190	-		254	-
	63	- 63		127	-		191	-		255	-
	64	- 64		128	-		192	-		256	-

● ホルダーライト作業灯

● 客席作業灯

久留米シティプラザ【グランドホール】 DMX対応表 ユニバース2

2/2
R3.3.1 更新

NO.	DMX	回路名称【IDナンバー】	NO.	DMX	回路名称【IDナンバー】	NO.	DMX	回路名称【IDナンバー】	NO.	DMX	回路名称【IDナンバー】
	257	Supersolar - 1		321	Supersolar - 6		385	Supersolar - 11		449	
	258	下袖 -		322	上袖 -		386	黄子 -		450	
	259	-		323	-		387	-		451	
	260	-		324	-		388	-		452	
	261	-		325	-		389	Supersolar - 12		453	
	262	-		326	-		390	黄子 -		454	
	263	-		327	-		391	-		455	
	264	-		328	-		392	-		456	
	265	-		329	Supersolar - 7		393	-		457	
	266	-		330	上袖 -		394	-		458	
	267	-		331	-		395	-		459	
	268	-		332	-		396	-		460	
	269	Supersolar - 2		333	-		397	-		461	
	270	下袖 -		334	-		398	-		462	
	271	-		335	-		399	-		463	
	272	-		336	-		400	-		464	
	273	-		337	-		401	Supersolar - 13		465	
	274	-		338	-		402	黄子 -		466	
	275	-		339	-		403	-		467	
	276	-		340	-		404	-		468	
	277	-		341	Supersolar - 8		405	-		469	
	278	-		342	上袖 -		406	-		470	
	279	-		343	-		407	-		471	
	280	-		344	-		408	-		472	
	281	Supersolar - 3		345	-		409	-		473	
	282	下袖 -		346	-		410	-		474	
	283	-		347	-		411	-		475	
	284	-		348	-		412	-		476	
	285	-		349	-		413	Blinder 黄子		477	
	286	-		350	-		414	PTFT(1 C.L 下手)		478	
	287	-		351	-		415	AUTO YOKE		479	
	288	-		352	-		416	-		480	
	289	-		353	Supersolar - 9		417	-		481	
	290	-		354	舞台奥 -		418	-		482	
	291	-		355	-		419	-		483	
	292	-		356	-		420	-		484	
	293	Supersolar - 4		357	-		421	PTFT(1 C.L 上手)		485	
	294	下袖 -		358	-		422	AUTO YOKE		486	
	295	-		359	-		423	-		487	
	296	-		360	-		424	-		488	
	297	-		361	-		425	-		489	
	298	-		362	-		426	-		490	
	299	-		363	-		427	-		491	
	300	-		364	-		428	GALL 下 -		492	
	301	-		365	Supersolar - 10	No. 98	429	-		493	
	302	-		366	舞台奥 -		430	-		494	
	303	-		367	-		431	-		495	
	304	-		368	-		432	GALL 上 -		496	
	305	Supersolar - 5		369	-	No. 99	433	-		497	
	306	上袖 -		370	-		434	-		498	
	307	-		371	-		435	-		499	
	308	-		372	-		436	-		500	
	309	-		373	-		437	-		501	
	310	-		374	-		438	-		502	
	311	-		375	-		439	-		503	
	312	-		376	-		440	-		504	
	313	-		377	Supersolar - 11		441	-		505	
	314	-		378	黄子 -		442	-		506	
	315	-		379	-		443	-		507	
	316	-		380	-		444	-		508	
	317	Supersolar - 6		381	-		445	-		509	
	318	上袖 -		382	-		446	-		510	
	319	-		383	-		447	-		511	
	320	-		384	-		448	-		512	